



13-Jun-2019

PCN #:E-19-009108

Subject:PTL High Temp PM Cap Single Row 1971772

Description of Change: Change resin from PA6 to PA66 that is also Glow Wire compliant. Add gussets to rear of latch bar. Some dimensions are being changed to a single decimal to conform to product as produced. This change is considered by TE Connectivity as a form change and improvement. Location is also being changed from one Asia Pacific facility to another facility in the same region.

Reason: Product Improvement. Resin used is being discontinued by the supplier. Improve connector retention.

Key Dates:

Contact By Date:28-Jun-2019

Implementation Date:28-Jun-2019

Product Affected

5-1971772-2

8-1971772-2

7-1971772-7

7-1971772-2

7-1971772-3

6-1971772-2

8-1971772-7

5-1971772-7

5-1971772-3

7-1971772-4

8-1971772-4

6-1971772-4

5-1971772-4

8-1971772-3

Product Affected

6-1971772-7

6-1971772-3

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the

TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.